Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	("20050009483").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:56
L6	7	(transmit\$3 or receiv\$3) same (pilot\$1) same (calibration\$1 or calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$5) and (mimo\$1 or IEEE "802. 11"\$) and (OFDM\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:13
L7	2462	455/522.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:13
L8	1	7 and (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:21
L9	1759	455/127\$.ccls. (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:22
L10	1	455/127\$.ccls. and (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) same (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:24
L11	10	"455"/\$.ccls. and (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) same (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/10/30 10:48
L12		(MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF .	2006/10/30 13:57

			_			•
L13	2	(MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) and (calibrat\$3 or measurement\$1) same (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/30 11:14
L14	2	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) and (calibrat\$3 or measurement\$1) same (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:14
L15	3	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) and (calibrat\$3 or measurement\$1) and (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:21
L16	1	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1) and (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:22
L17	.1	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1) and (normaliz\$3) and (cyclic\$1 adj1 prefix\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/10/30 11:22
L18	42	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:23
L19	8	(MIMO\$1) and (OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/30 11:37
L21	20	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:23

						•
L22	325532	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1 or postfix\$1) same (calibrat\$3) sam (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:24
L23	0	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1 or postfix\$1) same (calibrat\$3) same (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:26
L24	5	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1 or postfix\$1) and (calibrat\$3) same (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:30
L25	0	center\$3 same (FFT or fourier\$1 adj1 Transformer) same bin and (cyclic\$1 adj1 prefix\$1 or postfix\$1) and (calibrat\$3) same (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 16:19
L26	3098	370/338.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 16:20
L27	1675	370/241.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 16:20
L28	536	370/210.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/30 16:20
L29	3013	370/335.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 16:20

L30	481	370/437.ccls.	US-PGPUB;	OR	OFF	2006/10/30 16:20
			USPAT;			
			USOCR;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L5	2	("20050009483").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 09:56
L6	7	(transmit\$3 or receiv\$3) same (pilot\$1) same (calibration\$1 or calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$5) and (mimo\$1 or IEEE "802. 11"\$) and (OFDM\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:13
L7	2462	455/522.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:13
L8	1	7 and (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:21
L9	1759	455/127\$.ccls. (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:22
L10	1	455/127\$.ccls. and (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) same (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:24
L11	10	"455"/\$.ccls. and (MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) same (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 10:48
L12	1	(MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 13:57

			•			
L13	2	(MIMO\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) and (calibrat\$3 or measurement\$1) same (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:14
L14	2	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) and (calibrat\$3 or measurement\$1) same (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:14
L15	3	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (AGC\$1 or gain\$1 or amplif\$3) and (stor\$3) and (calibrat\$3 or measurement\$1) and (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:21
L16	1	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1) and (normaliz\$3) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:22
L17	1	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1) and (normaliz\$3) and (cyclic\$1 adj1 prefix\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:22
L18	42	(MIMO\$1 or OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:23
L19	8	(MIMO\$1) and (OFDM\$1) and (calibrat\$3) same (measurement\$1) same (stor\$3) and (AGC\$1 or gain\$1 or amplif\$3) and (calibrat\$3 or measurement\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 11:37
L21	20	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1) same (calibrat\$3 or pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:23

L22	325532	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1 or postfix\$1) same (calibrat\$3) sam (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:24
L23	0	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1 or postfix\$1) same (calibrat\$3) same (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:26
L24	5	(AGC\$1 or gain\$1 or amplif\$3) same (calibrat\$3 or measurement\$1) and (cyclic\$1 adj1 prefix\$1 or postfix\$1) and (calibrat\$3) same (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:30
L25	0	center\$3 same (FFT or fourier\$1 adj1 Transformer) same bin and (cyclic\$1 adj1 prefix\$1 or postfix\$1) and (calibrat\$3) same (pilot\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:31
S1		("20050009483").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 15:45
52	78	(celibrat\$3 or adjust\$3 or control\$3) same (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:20
S3	70	(celibrat\$3 or adjust\$3 or control\$3) near10 (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:20
S4	45	S2 and (transmit\$3) same (channel\$1 adj1 estimat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:09

S5	2	S2 and (IFFT\$1 or FFT\$1) same (non-zero\$1 or coefficient\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:13
S6	69	(celibrat\$3 or adjust\$3 or control\$3) near5 (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:20
S7	37	transmit\$3 same (celibrat\$3 or adjust\$3 or control\$3) near10 (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/29 17:21
S8	78	(calibrat\$3 or adjust\$3 or control\$3) same (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:20
S9	70	(calibrat\$3 or adjust\$3 or control\$3) near10 (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:20
S10	69	(calibrat\$3 or adjust\$3 or control\$3) near5 (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:21
S11	37	transmit\$3 same (calibrat\$3 or adjust\$3 or control\$3) near10 (AGC\$1 or gain\$1 adj1 amplif\$3) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (WLAN\$1 or wireless\$1 or radio\$1) and (transceiver\$1 or receiver\$1 or access\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:22

			_	-		
S12	26	transmit\$3 near10 (calibrat\$3 or adjust\$3 or control\$3) near10 (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) and (MIMO\$1) same (OFDM\$1 or OFDMA\$1) and (transceiver\$1 or receiver\$1 or access\$1 or transmit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:29
S13	22	transmit\$3 adj10 (calibrat\$3 or adjust\$3 or control\$3) near10 (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) and (MIMO\$1) and (OFDM\$1 or OFDMA\$1) and (transceiver\$1 or receiver\$1 or access\$1 or transmit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:31
S14	1	transmit\$3 adj10 (calibrat\$3) same (adjust\$3 or control\$3 or measurement\$1) same (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) same (stor\$3 or memory\$1) and (MIMO\$1) and (OFDM\$1 or OFDMA\$1) and (transceiver\$1 or receiver\$1 or access\$1 or transmit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:34
S15	4	transmit\$3 same(calibrat\$3) same (adjust\$3 or control\$3 or measurement\$1) same (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) same (stor\$3 or memory\$1) and (MIMO\$1) and (OFDM\$1 or OFDMA\$1) and (transceiver\$1 or receiver\$1 or access\$1 or transmit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 17:37
S16	7	transmit\$3 same(calibrat\$3) same (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) same (stor\$3 or memory\$1) and (MIMO\$1) and (OFDM\$1 or OFDMA\$1) and (transceiver\$1 or receiver\$1 or access\$1 or transmit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:09
S17	1	transmit\$3 same(calibrat\$3 or adjust\$3 or correct\$3) adj3 (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) same (stor\$3 or memory\$1) and (MIMO\$1) and (OFDM\$1 or OFDMA\$1) and (transceiver\$1 or receiver\$1 or access\$1 or transmit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:22
S18	21	("20020111142" "20030050016" "4166274" "5274844" "5530449" "5543801" "5546090" "6037898" "6133868" "6157340" "6195045" "6298092" "6307882" "6314147" "6317466" "6377636" "6377819" "6380910" "6442214" "6473467" "6687492").PN. OR ("7031669").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/29 18:15

S19	6	transmit\$3 same(calibrat\$3) same (adjust\$3 or correct\$3) same (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) same (stor\$3 or memory\$1) and (MIMO\$1) and (transceiver\$1 or receiver\$1 or access\$1 or transmit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:25
S20	6	(receiv\$3 or transmit\$3) same(calibrat\$3) same (adjust\$3 or correct\$3) same (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1) same (stor\$3 or memory\$1) and (MIMO\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:32
S21	6	(receiv\$3 or transmit\$3) same(calibrat\$3) same (adjust\$3 or correct\$3) same (AGC\$1 or gain\$1 adj1 amplif\$3 or gain\$1 or amplif\$3) same (stor\$3 or memory\$1) and (MIMO\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:33
S22	1	(calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) same (mimo\$1) same (sav\$3 memory\$1 or stor\$3 or LUT\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:38
S23	87	(calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) same (sav\$3 memory\$1 or stor\$3 or LUT\$1) and (MIMO\$1 or diversit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:41
S24	243	455/136.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39
S25	249	455/138.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39
S26	643	455/232.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39

	T		,			
S27	216	455/250.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39
S28	163	455/251.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39
S29 .	1122	455/127.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39
S30	357	455/127.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39
S31	1011	455/226.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:39
S32	446	455/226.2.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40
S33	274	455/226.3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40
S34	743	455/101.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40

S35	633	455/103.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40
S37	351	455/84.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40
S38	414	455/278.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40
S39	418	455/276.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/10/29 18:40
S40	1636	375/260.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40
S41	996	375/267.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:43
S42	320	375/299.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/10/29 18:40
S43	124	375/325.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:40

	1000			T	Γ	
S44	655	342/174.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:41
S45	342	(calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) same (sav\$3 memory\$1 or stor\$3 or LUT\$1) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:00
S46	124	(calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) and (sav\$3 memory\$1 or stor\$3 or LUT\$1) and ("455"/\$.ccls.) and (MIMO\$1 or diversit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:48
S47	1042	375/345.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:43
S48	0	S47 and (mimo\$1) and (calibrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:44
S49	0	S47 and (mimo\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:44
S50	0	S47 and (mimo\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:44
S51	94	S47 and (calibrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:44

						l
S52	18	S47 and (calibrat\$3) near10 (AGC\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:44
S53	323	(calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) and (sav\$3 memory\$1 or stor\$3 or LUT\$1) and ("455"/\$.ccls.) and (MIMO\$1 or diversit\$3 or IEEE "802.11"\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 18:53
S54	12	(calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) and (sav\$3 memory\$1 or stor\$3 or LUT\$1) and ("455"/\$.ccls.) and (MIMO\$1) and (IEEE "802.11"\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:00
S55	78	(transmit\$3 or receiv\$3) adj10 (calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) same (sav\$3 memory\$1 or stor\$3 or LUT\$1) and ("455"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:04
S56	12	(transmit\$3 or receiv\$3) adj10 (calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) same (sav\$3 memory\$1 or stor\$3 or LUT\$1) and ("455"/\$.ccls.) and (MIMO\$1 or diversit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:04
S57	29	(transmit\$3 or receiv\$3) adj10 (calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) same (sav\$3 memory\$1 or stor\$3 or LUT\$1) and ("455"/\$.ccls.) and (MIMO\$1 or IEEE "802.11"\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:58
S58	1334	455/423.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:36
S59	3	S58 and mimo\$1 and (transmit\$3 or receiv\$3) same (calibrat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:45

S60	2	("20040048584").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 19:45
S61	69	(transmit\$3 or receiv\$3) adj10 (calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) same (sav\$3 memory\$1 or stor\$3 or LUT\$1) and (MIMO\$1 or IEEE "802.11"\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 20:06
S62	660	(transmit\$3 or receiv\$3) same (calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) and (sav\$3 memory\$1 or stor\$3 or LUT\$1) same (calibrat\$3 or measurement\$1 or Gain\$1 or sett\$3) and (MIMO\$1 or IEEE "802.11"\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 20:09
S63	648	(transmit\$3 or receiv\$3) same (calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) and (sav\$3 memory\$1 or stor\$3 or LUT\$1) same (calibrat\$3 or measurement\$1 or Gain\$1) and (MIMO\$1 or IEEE "802.11"\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 20:10
S64	72	(transmit\$3 or receiv\$3) same (calibration or calibrat\$3) same (AGC\$1 or gain\$1 or Amplif\$3) and (sav\$3 memory\$1 or stor\$3 or LUT\$1) same (calibrat\$3 or measurement\$1 or Gain\$1) and (MIMO\$1 or IEEE "802.11"\$) and (OFDM\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 20:13
S65	648	S62 and S63	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 20:09
S66	22	S65 and (MIMO\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/29 20:10

S67	47	(calibration or calibrat\$3) same (AGC\$1 or gain\$1) and (sav\$3 memory\$1 or stor\$3 or LUT\$1) same (calibrat\$3 or measurement\$1 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT;	OR	OFF	2006/10/29 20:15
		Gain\$1) and (MIMO\$1 or IEEE "802. 11"\$) and (OFDM\$1)	IBM_TDB			